

LAMAGE-2



OTHER PRODUCTS



Euro Pratik Laminate LLP

lamagebyeuropratik Lamage By Euro Pratik

lamage.in lamageworld@gmail.com



SCAN QR CODE
FOR DOWNLOAD
CATALOGUE

creativitydesignstudio.com | +91 88 79 43 08 17

1mm PLUS



VOLUME 2

CATALOGUE
2023 - 24

1mm PLUS



A stylized signature in blue ink, likely belonging to a representative of Euro Pratik.






Your Pathway to Luxurious *living*

The Influence of a New Era is defined by how efficiently it integrates the Elegance of the Present Era with the Splendour of the Next Ultra-Modern Age. LamAge is a sincere effort by the Euro Pratik family to exhibit a series of Exquisite Decorative Laminates that blend the Classic Elements of Nature with the Futuristic Designs and concept of the Surface Decor Industry. Euro Pratik, being a trendsetter, has left no stones unturned by procuring the Uber - Stylish Designs and Textures from its associates across Europe and Asia and Manufacturing them at a State of the Art facility in India. Our emphasis is to provide exceptional surfaces to enrich the decor of every 21st Century interior.





1mm PLUS



All Designs & Textures are Imported from Europe & Asia Exclusively for Euro Pratik LamAge

Texture **INDEX**

01 01 - 08
FLUTE

02 09 - 30
HIGH GLOSS

03 31
KNOTTY WOOD

04 32 - 40
SUPER MATT

05 33
LEATHER

06 41 - 42
HORIZONTAL OAK

07 43 - 45
VERTICAL OAK

08 46 - 48
VENEER FINISH

09 49 - 53
WAVE

10 54
FLICKER

11 55 - 56
JUTE

12 57 - 58
EMPERIO

13 59 - 62
FLOWER GRAINS

14 63 - 64
SYNCHRO 1 / 2 / 3

15 65 - 67
CONCRETE

16 68 - 70
STONE

17 71
COMPOSED TEAK

18 72 - 74
SUEDE FINISH



Presenting
***DIGITAL
LAMINATE***
PREMIUM COLLECTION




LONGER
LIFE



IMPROVED
STRENGTH



HIGH SCRATCH
RESISTANCE



26+ LAMINATE
SHEET


1mm PLUS



901 FLT (New*)
BEIGE



903 FLT (New*)
ECRU



921 FLT (New*)
ABSOLUTE WHITE




907 FLT (New*)
TAN




911 FLT (New*)
HAZELNUT




913 FLT (New*)
DEEP TEAL




922 FLT (New*)
CLOUD GREY




926 FLT (New*)
OCEAN BLUE



912 FLT (New*)
DARK GREY




923 FLT (New*)
SMOKE GREY



925 FLT (New*)
PEACH



917 FLT (New*)
GREEN MOSS



924 FLT (New*)
RETRO GREEN



736 FLT (New*)
VOLAKAS WHITE



922 FLT (New*)
CLOUD GREY



923 FLT (New*)
SMOKE GREY



735 FLT (New*)
SILVER PARADISO



733 FLT (New*)
CREMA VERSAILLES



724 FLT (New*)
AZUL ONYX



711 FLT (New*)
CARARRA WHITE



727 FLT (New*)
FLORENCE VAGUE



912 FLT (New)
DARK GREY



727 FLT

912 FLT



903 FLT


733 FLT




903 FLT
ECRU



739 FLT (New*)
CRÈME LINEAR



740 FLT (New*)
PRIMA LINEAR



741 FLT (New*)
DOE LINEAR




740 FLT

741 FLT

924 FLT



901 FLT (New*)
BEIGE



924 FLT (New*)
RETRO GREEN

HIGH GLOSS

1mm PLUS



914 HGL
MOCHA



921 HGL (New*)
ABSOLUTE WHITE



922 HGL
CLOUD GREY



923 HGL (New*)
SMOKE GREY



924 HGL (New*)
RETRO GREEN



925 HGL (New*)
PEACH



926 HGL (New*)
OCEAN BLUE



971 HGL
GREY



972 HGL
SEPIA



973 HGL
BEAVER




906 HGL
SAND



910 HGL
WALNUT

HIGH GLOSS

VOLUME 2



900 HGL
FROSTY WHITE



974 HGL
LATTE



901 HGL
BEIGE



976 HGL
COFFEE




975 HGL
CAPPUCCINO




977 HGL
UMBER



912 HGL
DARK GREY



913 HGL
DEEP TEAL



738 HGL (New*)
FIRE BOLT



538 HGL (New*)
KOHL CHERRY



539 HGL (New*)
BRAZILLIAN SUCCUPIRA



elegance

The Highgloss collection from LamAge is the absolute favourite of our customers looking for something classy as well as beautifully artistic. Sophisticated.



532 HGL (New*)
PERUVIAN SANTOS WOOD



540 HGL (New*)
CUBAN MAHAGONY





 **531 HGL (New*)**
WEATHERED SYCAMORE



 **530 HGL (New*)**
TROPICAL ROSEWOOD



 **544 HGL (New*)**
TASMANIAN EUCALYPTUS



 **543 HGL (New*)**
VICTORIAN EUCALYPTUS

HIGH GLOSS

1mm PLUS






508 HGL HZ
ASHIRE BROWN



739 HGL (New*)
CREME LINEAR



740 HGL (New*)
PRIMA LINEAR



741 HGL (New*)
DOE LINEAR



730 HGL (New*)
BRUNO RIVIERA




729 HGL (New*)
GRISO RIVIERA




722 HGL
AGILE GRIS



721 HGL
PIERO GRIS



733 HGL (New*)
CREMA VERSAILLES



735 HGL (New*)
SILVER PARADISO



734 HGL (New*)
BIANCO IBIZA



736 HGL (New*)
VOLAKAS WHITE

HIGH GLOSS



724 HGL
AZUL ONYX



1mm PLUS




737 HGL (New*)
OPA KALAHARI



725 HGL
KALAHARI



711 HGL
CARARRA WHITE



723 HGL
PIETRA CASPIO




732 HGL (New*)
GOLDUST



727 HGL
FLORENCE VAGUE



731 HGL (New*)
REGOLITH



714 HGL (New*)
COLONIAL AZURE



715 HGL (New*)
COLONIAL BEIGE



709 HGL (New*)
APOLLO WHITE



726 HGL (New*)
GRANVILLE




710 HGL (New*)
GENOA GRAFFI

KNOTTY WOOD

VOLUME 2




 **716 KWD**
IMPERIO OAK




 **717 KWD**
INFINIO OAK


SUPER MATT



 **900 SMT**
FROSTY WHITE




 **901 SMT**
BEIGE



 **902 SMT**
CREAM



 **903 SMT**
ECRU



 **904 SMT**
KHAKE




 **905 SMT**
TAUPE



 **906 SMT**
SAND



 **907 SMT**
TAN



 **908 SMT**
PEANUT



 **909 SMT**
FAWN



 **910 SMT**
WALNUT




 **911 SMT**
HAZELNUT

SUPER MATT



912 SMT
DARK GREY



913 SMT
DEEP TEAL



914 SMT
MOCHA



915 SMT
MAROON




916 SMT
BLACK CURRANT



917 SMT
GREEN MOSS

LEATHER

sophisticated



900 LTH
FROSTY WHITE



901 LTH
BEIGE



905 LTH
TAUPE




923 LTH (New*)
SMOKE GREY

SUPER MATT



918 SMT
TEAL



919 SMT
TURQUOISE



920 SMT
BLUE




921 SMT (New*)
ABSOLUTE WHITE



922 SMT (New*)
CLOUD GREY



923 SMT (New*)
SMOKE GREY




924 SMT (New*)
RETRO GREEN



925 SMT (New*)
PEACH



926 SMT (New*)
OCEAN BLUE





535 SMT (New*)
SIBERIAN ELM WOOD



541 SMT (New*)
CHILEAN TINEO




545 SMT HZ

902 SMT



531 SMT (New*)
WEATHERED SYCAMORE



530 SMT (New*)
TROPICAL ROSEWOOD



516 SMT HZ
NEBULA DARK



545 SMT HZ (New*)
ARIZONA TEAK



542 SMT (New*)
GLOUCESTER BARN WOOD



538 SMT (New*)
KOHL CHERRY



546 SMT (New*)
MAURITIAN EBONY



736 SMT (New*)
VOLAKAS WHITE



733 SMT (New*)
CREMA VERSAILLES



732 SMT (New*)
GOLDUST





704 SMT
REMI BREW




703 SMT
ELENA BREW




726 SMT
GRANVILLE



718 SMT
BRISTOL RAW



713 SMT
QUINCY TITAN



712 SMT
CORSICA TITAN



719 SMT
CHESHIRE STEEL

HORIZONTAL OAK



533 OAK HZ (New*)
INFERNO ANIGRE



534 OAK HZ (New*)
INFERNO LARCH

1mm PLUS




517 OAK HZ
RICARD PECAN



521 OAK HZ
BERNADO BRUIN



501 OAK
ALPERTON OAK




522 OAK
CAMPARI WALNUT



520 OAK
MALTED TIMBER



518 OAK
ADRANO WALNUT




VERTICAL OAK



502 OAK
WILMER OAK



503 OAK
MAGUIRE OAK



532 OAK (New*)
PERUVIAN SANTOS WOOD



VENEER FINISH



716 VNR HZ
IMPERIO OAK



717 VNR HZ
INFINIO OAK



501 VNR HZ
ALPERTON OAK



518 VNR HZ
ADRANO WALNUT



517 VNR
 RICARD PECAN



728 VNR
 DARK BROWN



720 VNR
 SHEFFIELD WOODER



539 VNR (New*)
 BRAZILLIAN SUCCUPIRA



546 VNR (New*)
 MAURITIAN EBONY



521 VNR
 BERNADO BRUIN





537 WAV (New*)
PROMINO ASH WOOD



528 WAV (New*)
AFRICAN DYED KOTO



529 WAV (New*)
AFRICAN SMOKED KOTO



543 WAV (New*)
VICTORIAN EUCALYPTUS



544 WAV (New*)
TASMANIAN EUCALYPTUS



705 WAV
MONTECRISTO LIGHT



706 WAV
MONTECRISTO DARK



516 WAV
DARK WOODEZA



513 WAV
ADRIANA WOOD



515 WAV
NEBULA LIGHT



514 WAV
POMPEI WOOD

WAVE



511 WAV
VERDE NEOWOOD



511 WAV HZ
VERDE NEOWOOD

FLICKER




701 FKR
ANGELO BARK




702 FKR
MICHELLE BARK



731 JUT (New*)
REGOLITH



712 JUT
CORSICA TITAN



713 JUT
QUINCY TITAN



714 JUT
COLONIAL AZURE



703 JUT
ELENA BREW



704 JUT
REMI BREW



536 EMP (New*)
CLUSTER ASH WOOD



542 EMP (New*)
GLOUCESTER BARN WOOD



507 EMP
MIRAMAR OAK



707 EMP
CARLIE TIMBER



708 EMP
SILVIA TIMBER



504 EMP
NORA NICHE





535 FGR (New*)
SIBERIAN ELM WOOD



541 FGR (New*)
CHILEAN TINEO



526 FGR
ALONSO ELM



524 FGR
MYSTIQUE ESCHÉ



527 FGR



527 FGR (New*)
HIMALAYAN OAK



523 FGR
MARVELO ASH



805 FGR
SANTINO WALNUT



804 FGR
DAVIDE WALNUT



 **801 SYN1**
SWISS RICHMOND



 **808 SYN3**
ACER OAK



 **809 SYN3**
ALBA OAK



 **807 SYN3**
ELDA OAK



 **804 SYN2**
DAVIDE WALNUT



 **805 SYN2**
SANTINO WALNUT




 **806 SYN2**
IMPRESSO WALNUT



 **803 SYN1**
JORDANA RICHMOND



722 CRT
AGILE GRIS



721 CRT
PIERO GRIS



738 CRT (New*)
FIRE BOLT



729 CRT (New*)
GRISO RIVIERA



730 CRT (New*)
BRUNO RIVIERA




734 CRT (New*)
BIANCO IBIZA

CONCRETE

STONE




737 CRT (New*)
OPA KALAHARI



735 CRT (New*)
SILVER PARADISO



718 STN
BRISTOL RAW



719 STN
CHESHIRE STEEL



 **725 STN**
KALAHARI



 **711 STN**
CARARRA WHITE




 **727 STN**
FLORENCE VAGUE



 **724 STN**
AZUL ONYX



 **710 STN**
GENOA GRAFFI



 **723 STN**
PIETRA CASPIO

COMPOSED TEAK




701 CTK
ANGELO BARK



702 CTK
MICHELLE BARK



525 CTK
RIDGE RAFAEL



508 CTK
ASHIRE BROWN

SUEDE FINISH



801 SF (New*)
SWISS RICHMOND



537 SF (New*)
PROMINO ASH WOOD



525 SF (New*)
RIDGE RAFAEL



807 SF (New*)
ELDA OAK



527 SF (New*)
HIMALAYAN OAK



536 SF (New*)
CLUSTER ASH WOOD

SUEDE FINISH



528 SF (New*)
AFRICAN DYED KOTO



533 SF (New*)
INFERNO ANIGRE



534 SF (New*)
INFERNO LARCH



529 SF (New*)
AFRICAN SMOKED KOTO



540 SF (New*)
CUBAN MAHAGONY



504 SF (New*)
NORA NICHE

1mm PLUS



728 SF HZ (New*)
PINOT WOODER



720 SF HZ (New*)
SHEFFIELD WOODER



523 SF (New*)
MARVELO ASH



524 SF (New*)
MYSTIQUE ESCHÉ



545 SF (New*)
ARIZONA TEAK

Sr. No	Design No	Finish	Page No
1	501	OAK	43
2	501	VNR HZ	46
3	502	OAK	45
4	503	OAK	45
5	504	EMP	58
6	504	SF	73
7	507	EMP	57
8	508	HGL HZ	19
9	508	CTK	71
10	511	WAV	53
11	511	WAV HZ	53
12	513	WAV	52
13	514	WAV	52
14	515	WAV	52
15	516	WAV	52
16	516	SMT HZ	36
17	517	OAK HZ	42
18	517	VNR	47
19	518	OAK	44
20	518	VNR HZ	46
21	520	OAK	44
22	521	OAK HZ	42
23	521	VNR	48
24	522	OAK	43
25	523	FGR	61
26	523	SF	74
27	524	FGR	60
28	524	SF	74
29	525	SF	72
30	525	CTK	71
31	526	FGR	60
32	527	FGR	61
33	527	SF	72
34	528	WAV	50
35	528	SF	73
36	529	WAV	50
37	529	SF	73
38	530	HGL	17
39	530	SMT	35
40	531	HGL	17
41	531	SMT	35
42	532	OAK	45
43	532	HGL	16
44	533	OAK HZ	41
45	533	SF	73
46	534	OAK HZ	41
47	534	SF	73
48	535	SMT	35
49	535	FGR	59
50	536	EMP	57
51	536	SF	72
52	537	WAV	49
53	537	SF	72
54	538	HGL	13
55	538	SMT	37
56	539	HGL	14
57	539	VNR	48
58	540	HGL	16
59	540	SF	73
60	541	SMT	35
61	541	FGR	59
62	542	SMT	37

Sr. No	Design No	Finish	Page No
63	542	EMP	57
64	543	HGL	18
65	543	WAV	51
66	544	HGL	18
67	544	WAV	51
68	545	SMT HZ	36
69	545	SF	74
70	546	SMT	37
71	546	VNR	48
72	701	FKR	54
73	701	CTK	71
74	702	FKR	54
75	702	CTK	71
76	703	SMT	39
77	703	JUT	56
78	704	SMT	39
79	704	JUT	56
80	705	WAV	51
81	706	WAV	51
82	707	EMP	58
83	708	EMP	58
84	709	HGL	30
85	710	HGL	30
86	710	STN	70
87	711	FLT	6
88	711	HGL	27
89	711	STN	69
90	712	SMT	39
91	712	JUT	55
92	713	SMT	39
93	713	JUT	56
94	714	HGL	29
95	714	JUT	56
96	715	HGL	29
97	716	KWD	31
98	716	VNR HZ	46
99	717	KWD	31
100	717	VNR HZ	46
101	718	SMT	40
102	718	STN	68
103	719	SMT	40
104	719	STN	68
105	720	VNR	47
106	720	SF HZ	74
107	721	HGL	22
108	721	CRT	65
109	722	HGL	22
110	722	CRT	65
111	723	HGL	28
112	723	STN	70
113	724	FLT	5
114	724	HGL	25
115	724	STN	70
116	725	HGL	26
117	725	STN	69
118	726	SMT	40
119	726	HGL	30
120	727	FLT	6
121	727	HGL	28
122	727	STN	69
123	728	VNR	47
124	728	SF HZ	74

Sr. No	Design No	Finish	Page No
125	729	HGL	21
126	729	CRT	66
127	730	HGL	21
128	730	CRT	66
129	731	HGL	28
130	731	JUT	55
131	732	HGL	28
132	732	SMT	38
133	733	HGL	23
134	733	FLT	5
135	733	SMT	38
136	734	HGL	24
137	734	CRT	66
138	735	FLT	4
139	735	HGL	23
140	735	CRT	67
141	736	FLT	3
142	736	HGL	24
143	736	SMT	38
144	737	HGL	26
145	737	CRT	67
146	738	HGL	12
147	738	CRT	65
148	739	HGL	20
149	739	FLT	7
150	740	FLT	7
151	740	HGL	20
152	741	FLT	7
153	741	HGL	20
154	801	SYN1	63
155	801	SF	72
156	803	SYN1	64
157	804	FGR	62
158	804	SYN2	63
159	805	FGR	62
160	805	SYN2	63
161	806	SYN2	64
162	807	SYN3	64
163	807	SF	72
164	808	SYN3	63
165	809	SYN3	64
166	900	HGL	11
167	900	SMT	32
168	900	LTH	33
169	901	FLT	1
170	901	HGL	11
171	901	SMT	32
172	901	LTH	33
173	902	SMT	32
174	903	FLT	1
175	903	SMT	32
176	904	SMT	32
177	905	SMT	32
178	905	LTH	33
179	906	HGL	10
180	906	SMT	32
181	907	FLT	01
182	907	SMT	32
183	908	SMT	32
184	909	SMT	32
185	910	HGL	10
186	910	SMT	32

Sr. No	Design No	Finish	Page No
186	911	FLT	1
187	911	SMT	32
189	912	FLT	2
190	912	HGL	11
191	912	SMT	33
192	913	FLT	1
193	913	HGL	11
194	913	SMT	33
195	914	SMT	33
196	914	HGL	9
197	915	SMT	33
198	916	SMT	33
199	917	FLT	2
200	917	SMT	33
201	918	SMT	34
202	919	SMT	34
203	920	SMT	34
204	921	FLT	1
205	921	HGL	9
206	921	SMT	34
207	922	FLT	1
208	922	HGL	9
209	922	SMT	34
210	923	FLT	2
211	923	HGL	9
212	923	LTH	33
213	923	SMT	34
214	924	FLT	2
215	924	SMT	34
216	924	HGL	9
217	925	FLT	2
218	925	HGL	9
219	925	SMT	34
220	926	FLT	2
221	926	HGL	10
222	926	SMT	34
223	971	HGL	10
224	972	HGL	10
225	973	HGL	10
226	974	HGL	11
227	975	HGL	11
228	976	HGL	11
229	977	HGL	11

1mm PLUS
VOLUME 2

TECHNICAL SPECIFICATIONS

PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, HGS	LAMAGE CONFORMS	SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, HGS	LAMAGE CONFORMS
Resistance to surface wear	350 [Revolutions]	✓	350 [Revolutions]	✓
Resistance to immersion in boiling water - Mass increase [%] - Thickness increase [%] - Appearance	10.0 [Maximum] 11.8 [Maximum] Not worse than 4	✓	7.5 [Maximum] 8.5 [Maximum] Not worse than 4	✓
Resistance to dry heat 180° C	Not worse than 4	✓	Not worse than 4	✓
Dimensional stability at deviated temperature - Longitudinal [%] - Transverse [%]	0.55 [Maximum] 1.025 [Maximum]	✓	0.44 [Maximum] 0.86 [Maximum]	✓
Dimensional stability at 20° C - Longitudinal [%] - Transverse [%]	0.375 [Maximum] 0.60 [Maximum]	✓	0.31 [Maximum] 0.49 [Maximum]	✓
Resistance to impact by small diameter ball	20 N [Minimum]	✓	20 N [Minimum]	✓
Resistance to cracking	Not worse than 4	✓	Not worse than 4	✓
Resistance to scratching	2 N [Minimum]	✓	2 N [Minimum]	✓
Resistance to staining	Not worse than 5	✓	Not worse than 5	✓
Resistance to colour change [wood standards] - In xenon arc light - In enclosed carbon arc light	Not worse than 6 Not worse than 5	✓	Not worse than 6 Not worse than 5	✓
Resistance to cigarette burns	Not worse than 3	✓	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓	Should be free from foreign particles	✓

Product:
High Pressure Decorative Laminated sheets
Size: 2440 mm x 1220 mm [8'x4']
Thickness:
1 mm ± 10%
Other thickness also available as per order

Care & Maintenance:
Cleaning should be carried out with a soft moist cloth and warm soap solution. Do not use detergents containing abrasive particles or excess soda.

Product conformity to:
British European Standards – BS EN 438, American NEMA ID-3, BIS [Bureau of Indian Standards] IS-2046

Note:
1. Samples presented are indicative of color, pattern and surface finish but not of actual thickness. High gloss sheets are recommended for vertical application only.
2. Finishes other than shown in here are available on request.


Limited Warranty:
Lamage warrants that its products are reasonably free from manufacturing defects. The products when properly used, will comply, with normal deviations, to related manufacturing specification. This warranty shall be limited only to the original buyer for a period of one [1] year from the date of dispatch by Lamage. It excludes damage resulting from accidents, abuse or lack of care, improper use and /or any alternation. It is recommended that the product must be inspected prior to installation and our liability will be limited to the extent of the cost of the product only. Lamage's laminates are used for various applications, without the possibility of control over the manufacturing of the finished product. The company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair use subsequent sale of any product, to any person or entity.

Limited Warranty
Kindly check the sheet in all aspects immediately after purchase & prior to cutting.
In case of manufacturing defect, only replacement of used sheet will be made.
No warranty for corner crack or air bubbles.
No claim will be entertained thereafter in any of the below specifics.

NO CLAIM WILL BE ENTERTAINED FOR AIR BUBBLES.
NO CLAIM WILL BE ENTERTAINED FOR CRACKS ARISING DUE TO GROOVE CUTTING OR L-SHAPE.



No claim will be Entertained For air bubbles



Cutting a laminate sheet at an angle of 90 degree leads to development of cracks in corner after pasting. Therefore it is advisable to avoid cutting at an angle of 90 degrees.

APPLICATION AREAS



INDUSTRIES



HOTELS



HOSPITALS



CORRIDORS \ HALLS



OFFICES



RESIDENCES



AIRPORT TERMINALS



RESTAURANTS / CAFES



DISCOTHEQUES



SCHOOLS



SHOPPING CENTERS



RELIGIOUS PLACES



keep away from direct sunlight



carpenter friendly easy to use



engineered for interior use only